ELSEVIER

Journal of Organometallic Chemistry 572 (1999) 295

Journal of Organometallic Chemistry

Author index of Volume 572

Akkerman, O.S., 93
Allen, D.W., 259
Alt, H.G., 21
Amburose, C.V., 87
Arikawa, Y., 163
Ault, B.S., 169

Baker, P.K., 265
Bakker, M.J., 271
Barclay, J.E., 265
Barday, E., 225
Barrow, M.P., 135
Bengali, A.A., 65
Beyer, L., 73
Bickelhaupt, F., 93
Biesemans, M., 233
Bildstein, B., 177
Böhm, V.P.W., 141
Brinkmann, P.H.P., 193
Bruce, M.I., 3

Cabrera, A., 87
Cammack, J.K., 135
Clark, A.I., 265
Clegg, W., 283
Coleman, J.E., 65

Das, I., 49
Dixit, V., 49
Drewello, T., 135
Dulaney, K.E., 65

Espinosa-Perez, G., 87
Evans, D.J., 265

Fischer, H., 105
Föttinger, K., 21
Frange, B., 225
Fukuoka, A., 81

Gardiner, M.G., 239
Giner, P., 155
Goebel, M., 135
Grün, K., 207
Gupta, B.D., 49

Hanquet, B., 225
Hartl, F., 271
Henderson, K.W., 283
Herberich, G.E., 225
Herrmann, W.A., 141, 239
He, Y.-X., 213
Hibbs, D.E., 259
Hidai, M., 163
Hirano, M., 81
Hirth, U.-A., 207
Hursthouse, M.B., 259

Jaumier, P., 233
Javier de la Mata, F., 155
Jha, N.K., 87
Johnson, A., 11
Jousseaume, B., 233
Jungklaus, H., 105

Kabalka, G.W., 31
Keenan, F.E., 283
Kennedy, A.R., 283
Khaleel, A., 11
Klabunde, K.J., 11
Komiya, S., 81
Kopacka, H., 177
Kostas, I.D., 93
Kruber, D., 117
Kunkely, H., 131

Lapinte, C., 189
Lee, G.-H., 125
Lenz, D., 189
Le Stang, S., 189
Liddle, S.T., 283
Li, N.-S., 31
Low, P.J., 3
Luh, T.-Y., 291
Luinstra, G.A., 193

Malaun, M., 177
Malik, K.M.A., 259
Malisch, W., 207
Matoba, K., 163
McKeown, A.E., 283
Merzweiler, K., 117
Milius, W., 21
Mitchell, K., 265
Mulvey, R.E., 283

Nakahara, N., 81
Nijhoff, J., 271
Nishibayashi, Y., 163

Ongania, K.-H., 177

Paul, F., 189
Peng, S.-M., 125

Reisinger, C.-P., 239
Richards, R.L., 265
Richter, R., 73
Royo, P., 155

Sattigeri, J.A., 291
Schmeußer, M., 207
Schwarz, J., 239
Schwarz, W., 249
Seidelmann, O., 73
Sharma, P., 87
Shen, C.K.-F., 291
Shiau, C.-W., 291
Singh, A.K., 87
Spek, A.L., 93
Spiegler, M., 239
Stufkens, D.J., 271
Sun, H.-S., 59
Sutton, D., 213

Tiekink, E.R.T., 3

Uemura, S., 163
Ueoka, M., 163

Varaprath, S., 37
Veldman, N., 93
Vogler, A., 131
Vollhardt, K.P.C., 135

Wagner, C., 117
Wasser, I.M., 135
Weichmann, H., 117
Westerhausen, M., 249
Wieneke, M., 249
Willem, R., 233
Wurst, K., 177

Yeh, W.-Y., 125
You, X.-Z., 59
Yu, S., 31

Zhao, Q., 59

PII S0022-328X(98)01034-1

ELSEVIER

Journal of Organometallic Chemistry 572 (1999) 297–301

Journal of Organometallic Chemistry

Subject index of Volume 572

Activation parameters
Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105

Acyllithium
Synthesis of α,α-dichloroalcohols, α-hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31

Alkyls
Matrix isolation investigation of the reaction of $(CH_3)_3Al$ with O_2, 169
Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Alkynyl
Some reactions of the ruthenium allenylidene complex $[Ru(C{=}C{=}CPh_2)(PPh_3)_2Cp][PF_6]$ with nucleophiles, 3

Allenylidene
Some reactions of the ruthenium allenylidene complex $[Ru(C{=}C{=}CPh_2)(PPh_3)_2Cp][PF_6]$ with nucleophiles, 3

Aluminium
Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Aluminum
An unusual reaction of Me_3Al with the macrobicyclic ligand $C_{22}H_{28}N_2O_3$ ($C_{22}H_{28}N_2O_3$=1,15-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13,3,1]nonadecane): Synthesis and crystal structure of a novel μ_3-oxygen-bridged tetranuclear organoaluminum complex $(Me_3Al)(C_{22}H_{28}N_2O_3)(AlMe_2)_2(AlMe_3)(\mu_3\text{-}O)$, 59
Matrix isolation investigation of the reaction of $(CH_3)_3Al$ with O_2, 169

Amide
Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $E[Zn\text{–}C(SiMe_3)_3]_2$ (E = PSi^iPr_3, $AsSi^iPr_3$, S, Se, Te), 249

Amides
Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Ansa-Halbsandwichkomplexe
Synthese, Charakterisierung und Polymerisationseigenschaften verbrückter Halbsandwichkomplexe des Titans, Zirconiums und Hafniums; Die Molekülstruktur von $[C_{13}H_8\text{-}SiMe_2\text{-}N^tBu]ZrCl_2$, 21

Antimony
μ-Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of $Ar_3Sb(\mu\text{-}OAsPh_2)_2$ (Ar = Ph or *p*-tol), 87

Arene complexes
Photochemical synthesis of new (η^6-arene)Cr–hydrido stannyl and (η^6-arene)Cr–bis-stannyl complexes. Ligand effects on the Sn–H interaction in the hydrido stannyl compounds, 11

Arsanide
Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $E[Zn\text{–}C(SiMe_3)_3]_2$ (E = PSi^iPr_3, $AsSi^iPr_3$, S, Se, Te), 249

Arsenic
μ-Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of $Ar_3Sb(\mu\text{-}OAsPh_2)_2$ (Ar = Ph or *p*-tol), 87

Azine
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Benzimidazoline-2-ylidene
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Bond strength
Displacement of the THF solvent molecule from $(\eta^5\text{-}C_5H_5)Mn(CO)_2THF$ by simple two electron donor ligands: evidence for a dissociative mechanism and determination of the Mn–THF bond strength, 65

Boranes
Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Boron
Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Borylindene
Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Borylindenide
Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Carbene
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Carbene complexes
Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105

Carbon monoxide
Synthesis of α,α-dichloroalcohols, α-hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31

Carbonyl
The cluster $[Fe_4Cp_4S_6]$ as a ligand to Mo(II) and W(II), 265

Carbonylation
Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)–Pd–alkyl and –acyl bonds, 193

Catalysis
Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141

Charge transfer
Photolysis of the ion pair $[\eta^7\text{-}C_7H_7Mo(CO)_3]^+ BPh_4^-$ induced by outer sphere charge transfer excitation, 131

PII S0022-328X(98)01035-3

1-Chloro-1-arylalkylene oxide
Synthesis of α,α-dichloroalcohols, α-hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31
Chlorosilyl
Synthesis and reactivity of new silyl-substituted monocyclopentadienyl molybdenum and tungsten complexes, 155
^{14}C-labeled siloxanes
Synthesis of ^{14}C-labeled cyclic and linear siloxanes, 37
CO
Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)–Pd–alkyl and –acyl bonds, 193
Copolymerisation
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
Crown ethers
Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93
Crystal structure
An unusual reaction of Me_3Al with the macrobicyclic ligand $C_{22}H_{28}N_2O_3$ ($C_{22}H_{28}N_2O_3$=1,15-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13,3,1]nonadecane): Synthesis and crystal structure of a novel μ_3-oxygen-bridged tetranuclear organoaluminum complex $(Me_3Al)(C_{22}H_{28}N_2O_3)(AlMe_2)_2$-$(AlMe_3)(\mu_3$-O), 59
Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93
μ-Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of $Ar_3Sb(\mu$-$OAsPh_2)_2$ (Ar = Ph or *p*-tol), 87
Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163
Crystal structures
Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $[\{Me_2(Cl)SnCH_2CH_2PPh_2\}_2Rh(CO)Cl]$, 117
Cyclopentadienyl
Synthesis and reactivity of new silyl-substituted monocyclopentadienyl molybdenum and tungsten complexes, 155

Decaphenyltungstenocenium triiodide
Synthesis and crystal structure of decaphenyltungstenocenium triiodide, 125
α,α-Dichloroalcohols
Synthesis of α,α-dichloroalcohols, α-hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31
Die Homopolmerisation von Ethylen
Synthese, Charakterisierung und Polymerisationseigenschaften verbrückter Halbsandwichkomplexe des Titans, Zirconiums und Hafniums; Die Molekülstruktur von $[C_{13}H_8$-$SiMe_2$-$N^tBu]ZrCl_2$, 21
Dinuclear complex
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189
1,4-di-R-1,4-Diazabutadiene
Mechanistic study of the photoisomerization of $Os_3(CO)_{10}(L)$ in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde *N*-R-imine (R-PyCa)) changes its coordination from σ, σ-N,N′ into σ-N, μ_2-N′, η^2-C=N′, 271
Dissociative mechanism
Displacement of the THF solvent molecule from $(\eta^5$-$C_5H_5)Mn(CO)_2THF$ by simple two electron donor ligands: evidence for a dissociative mechanism and determination of the Mn–THF bond strength, 65

Electrochemistry
N-Heterocyclic carbenes with *N*-ferrocenyl-*N*′-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
Electrophiles
Reactions of the rhenium allyl hydrido complex $Cp^*Re(\eta^3$-$C_3H_5)(CO)(H)$ with the electrophiles CF_3CO_2H, CF_3SO_3H, $NOBF_4$, $[p$-$N_2C_6H_4OMe][BF_4]$ and $[Ph_3C][BF_4]$, 213
Exchange reaction
Phosphenium complexes 30. Supermesitylphosphenium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207

Ferrocene
N-Heterocyclic carbenes with *N*-ferrocenyl-*N*′-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
Ferrocene complexes
Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73
Fullerenes
Penta(cyclopentadienyl)-η^5-cyclopentadienylmanganesetricarbonyl: structure and laser-induced conversion to fullerenes, 135

Grignard reagent
Synthesis of ^{14}C-labeled cyclic and linear siloxanes, 37

Heck reaction
Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141
Heterobimetallic complexes
Synthesis and structure of thiolato bridged Pt–Ti heterobimetallic complexes with methyl group, 81
Heterocyclic carbene
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
Heterolytic cleavage
Co–C bond cleavage in the reactions of alkyl, benzyl and heteroaromaticmethyl cobaloximes with arene sulfenyl chloride: Homolytic and heterolytic pathways, 49
Homogeneous catalysis
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
Homolytic
Co–C bond cleavage in the reactions of alkyl, benzyl and heteroaromaticmethyl cobaloximes with arene sulfenyl chloride: Homolytic and heterolytic pathways, 49
Hydrido complexes
Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105
Hydrido stannyl compounds
Photochemical synthesis of new (η^6-arene)Cr–hydrido stannyl and (η^6-arene)Cr–bis-stannyl complexes. Ligand effects on the Sn–H interaction in the hydrido stannyl compounds, 11
α-Hydroxyketone
Synthesis of α,α-dichloroalcohols, α-hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31
Hydroxymethyl phosphines
A one step nickel(II)-catalysed synthesis of *tris*-{2-(2-benzothiazolyl)phenyl}phosphine from *tris*(hydroxymethyl)-phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259

Insertion reactions
Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105
Internal rotation
Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225
Intramolecular coordination
Comparative assessment of weak intramolecular coordinations at tin in functionalized mono-organotin trichlorides and mono-organotrialkynyltins by multinuclear solution NMR, 233
Iron
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
Iron acetylide
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189
Iron–sulfur cluster
The cluster $[Fe_4Cp_4S_6]$ as a ligand to Mo(II) and W(II), 265

Kinetics
Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)–Pd–alkyl and –acyl bonds, 193
Kinetic template effect
A one step nickel(II)-catalysed synthesis of *tris*-{2-(2-benzothiazolyl)phenyl}phosphine from *tris*(hydroxymethyl)phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259

Labeling experiments
Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105
Laser-induced desorption/ionization
Penta(cyclopentadienyl)-η^5-cyclopentadienylmanganesetricarbonyl: structure and laser-induced conversion to fullerenes, 135
Ligand
Reactions of the rhenium allyl hydrido complex $Cp^*Re(\eta^3\text{-}C_3H_5)(CO)(H)$ with the electrophiles CF_3CO_2H, CF_3SO_3H, $NOBF_4$, $[p\text{-}N_2C_6H_4OMe][BF_4]$ and $[Ph_3C][BF_4]$, 213
Ligand displacement
Photochemical synthesis of new (η^6-arene)Cr–hydrido stannyl and (η^6-arene)Cr–bis-stannyl complexes. Ligand effects on the Sn–H interaction in the hydrido stannyl compounds, 11
Lithium
Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93
Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Macrobicycle
An unusual reaction of Me_3Al with the macrobicyclic ligand $C_{22}H_{28}N_2O_3$ ($C_{22}H_{28}N_2O_3$=1,15-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13.3.1]nonadecane): Synthesis and crystal structure of a novel μ_3-oxygen-bridged tetranuclear organoaluminum complex $(Me_3Al)(C_{22}H_{28}N_2O_3)(AlMe_2)_2(AlMe_3)(\mu_3\text{-}O)$, 59
Magnesium
Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93
Manganese
Penta(cyclopentadienyl)-η^5-cyclopentadienylmanganesetricarbonyl: structure and laser-induced conversion to fullerenes, 135
Matrix isolation
Matrix isolation investigation of the reaction of $(CH_3)_3Al$ with O_2, 169
Mercury
Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
Metal ion catalysis
A one step nickel(II)-catalysed synthesis of *tris*-{2-(2-benzothiazolyl)phenyl}phosphine from *tris*(hydroxymethyl)phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259
Metallo-phosphanes
Phosphenium complexes 30. Supermesitylphosphenium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207
Molecular orbital calculations
Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283
Molybdenum
Photolysis of the ion pair $[\eta^7\text{-}C_7H_7Mo(CO)_3]^+ BPh_4^-$ induced by outer sphere charge transfer excitation, 131
Synthesis and reactivity of new silyl-substituted monocyclopentadienyl molybdenum and tungsten complexes, 155
Molybdenum(II)
The cluster $[Fe_4Cp_4S_6]$ as a ligand to Mo(II) and W(II), 265
Mössbauer
The cluster $[Fe_4Cp_4S_6]$ as a ligand to Mo(II) and W(II), 265
Multinuclear solution NMR
Comparative assessment of weak intramolecular coordinations at tin in functionalized mono-organotin trichlorides and mono-organotrialkynyltins by multinuclear solution NMR, 233

Nickel(II)chelates
Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73
Non-aqueous ionic liquids
Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141
Norbornenes
Organosulfur compounds as promoters in the $Mo(CO)_6$-catalyzed ring opening metathesis polymerization of norbornenes, 291
N-R-imine
Mechanistic study of the photoisomerization of $Os_3(CO)_{10}(L)$ in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde *N*-R-imine (R-PyCa)) changes its coordination from σ, σ-N,N' into σ-N, μ_2-N', η^2-C=N', 271

Olefin insertion
Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)–Pd–alkyl and –acyl bonds, 193
Oligocyclopentadienylmetals
Penta(cyclopentadienyl)-η^5-cyclopentadienylmanganesetricarbonyl: structure and laser-induced conversion to fullerenes, 135

Organocobaloximes
Co–C bond cleavage in the reactions of alkyl, benzyl and heteroaromaticmethyl cobaloximes with arene sulfenyl chloride: Homolytic and heterolytic pathways, 49
Organoiron(II)
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189
Organoiron(III)
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189
Organosulfur compounds
Organosulfur compounds as promoters in the $Mo(CO)_6$-catalyzed ring opening metathesis polymerization of norbornenes, 291
Os_3 clusters
Mechanistic study of the photoisomerization of $Os_3(CO)_{10}(L)$ in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde *N*-R-imine (R-PyCa)) changes its coordination from σ, σ-N,N' into σ-N, μ_2-N', η^2-C=N', 271
Oxazolinylferrocenylphosphine
Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163
Oxidative addition of Sn–C bonds
Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $[\{Me_2(Cl)SnCH_2CH_2PPh_2\}_2Rh(CO)Cl]$, 117
μ_3-Oxo-bridged
An unusual reaction of Me_3Al with the macrobicyclic ligand $C_{22}H_{28}N_2O_3$ ($C_{22}H_{28}N_2O_3$=1,15-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13,3,1]nonadecane): Synthesis and crystal structure of a novel μ_3-oxygen-bridged tetranuclear organoaluminum complex $(Me_3Al)(C_{22}H_{28}N_2O_3)(AlMe_2)_2$-$(AlMe_3)(\mu_3\text{-}O)$, 59
Oxobridged compound
μ-Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of $Ar_3Sb(\mu\text{-}OAsPh_2)_2$ (Ar = Ph or *p*-tol), 87
Oxygen
Matrix isolation investigation of the reaction of $(CH_3)_3Al$ with O_2, 169

Palladacycles
Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141
Palladium
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)–Pd–alkyl and –acyl bonds, 193
Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
Pentacoordination
Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $[\{Me_2(Cl)SnCH_2CH_2PPh_2\}_2Rh(CO)Cl]$, 117
P–H bond
Phosphenium complexes 30. Supermesitylphosphenium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207
Phosphanide
Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $E[Zn\text{–}C(SiMe_3)_3]_2$ (E = PSi^iPr_3, $AsSi^iPr_3$, S, Se, Te), 249
Phosphenium–metal complexes
Phosphenium complexes 30. Supermesitylphosphenium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207
Photoisomerization
Mechanistic study of the photoisomerization of $Os_3(CO)_{10}(L)$ in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde *N*-R-imine (R-PyCa)) changes its coordination from σ, σ-N,N' into σ-N, μ_2-N', η^2-C=N', 271
Photochemistry
Photolysis of the ion pair $[\eta^7\text{-}C_7H_7Mo(CO)_3]^+ BPh_4^-$ induced by outer sphere charge transfer excitation, 131
Polymers
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
Promoters
Organosulfur compounds as promoters in the $Mo(CO)_6$-catalyzed ring opening metathesis polymerization of norbornenes, 291
Pt–Ti
Synthesis and structure of thiolato bridged Pt–Ti heterobimetallic complexes with methyl group, 81
Pyridine-2-carbaldehyde
Mechanistic study of the photoisomerization of $Os_3(CO)_{10}(L)$ in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde *N*-R-imine (R-PyCa)) changes its coordination from σ, σ-N,N' into σ-N, μ_2-N', η^2-C=N', 271
Pyridinium salt
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Rhenium allyl hydrido complex
Reactions of the rhenium allyl hydrido complex $Cp^*Re(\eta^3\text{-}C_3H_5)(CO)(H)$ with the electrophiles CF_3CO_2H, CF_3SO_3H, $NOBF_4$, $[p\text{-}N_2C_6H_4OMe][BF_4]$ and $[Ph_3C][BF_4]$, 213
Rhodium stannyl complexes
Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $[\{Me_2(Cl)SnCH_2CH_2PPh_2\}_2Rh(CO)Cl]$, 117
Ruthenium
Some reactions of the ruthenium allenylidene complex $[Ru(C{=}C{=}CPh_2)(PPh_3)_2Cp][PF_6]$ with nucleophiles, 3
Ruthenium(II) complex
Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163

Schiff base complexes
Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73
Siloxanes
Synthesis of ^{14}C-labeled cyclic and linear siloxanes, 37
Sonogashira-coupling
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Substituted pyridine
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189
Synthesis
Synthesis and structure of thiolato bridged Pt–Ti heterobimetallic complexes with methyl group, 81

Tetraaza[14]annulene
Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73
Tetranuclear complex
An unusual reaction of Me_3Al with the macrobicyclic ligand $C_{22}H_{28}N_2O_3$ ($C_{22}H_{28}N_2O_3$=1,15-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13,3,1]nonadecane): Synthesis and crystal structure of a novel μ_3-oxygen-bridged tetranuclear organoaluminum complex $(Me_3Al)(C_{22}H_{28}N_2O_3)(AlMe_2)_2(AlMe_3)(\mu_3\text{-}O)$, 59
THF
Displacement of the THF solvent molecule from $(\eta^5\text{-}C_5H_5)Mn(CO)_2THF$ by simple two electron donor ligands: evidence for a dissociative mechanism and determination of the Mn–THF bond strength, 65
Tin
Comparative assessment of weak intramolecular coordinations at tin in functionalized mono-organotin trichlorides and mono-organotrialkynyltins by multinuclear solution NMR, 233
Transfer hydrogenation
Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163

Triarylphosphines
A one step nickel(II)-catalysed synthesis of *tris*-{2-(2-benzothiazolyl)phenyl}phosphine from *tris*(hydroxymethyl)phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259
Tri*iso*propylsilyl
Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $E[Zn\text{–}C(SiMe_3)_3]_2$ (E = PSi^iPr_3, $AsSi^iPr_3$, S, Se, Te), 249
Tropylium
Photolysis of the ion pair $[\eta^7\text{-}C_7H_7Mo(CO)_3]^+ BPh_4^-$ induced by outer sphere charge transfer excitation, 131
Tungsten
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
Synthesis and crystal structure of decaphenyltungstenocenium triiodide, 125
Synthesis and reactivity of new silyl-substituted monocyclopentadienyl molybdenum and tungsten complexes, 155
Tungsten(II)
The cluster $[Fe_4Cp_4S_6]$ as a ligand to Mo(II) and W(II), 265

X-ray structure
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
X-ray structures
Some reactions of the ruthenium allenylidene complex $[Ru(C{=}C{=}CPh_2)(PPh_3)_2Cp][PF_6]$ with nucleophiles, 3

Zinc
Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $E[Zn\text{–}C(SiMe_3)_3]_2$ (E = PSi^iPr_3, $AsSi^iPr_3$, S, Se, Te), 249